


UNIVERSITÄT AUGSBURG




Lazy Semiring Neighbours and some  
Applications

Peter Höfner

Bernhard Möller

Report 2006-9

June 2006



INSTITUT FÜR INFORMATIK  
D-86135 AUGSBURG

Copyright © Peter Höfner                  Bernhard Möller  
Institut für Informatik  
Universität Augsburg  
D-86135 Augsburg, Germany  
<http://www.Informatik.Uni-Augsburg.DE>  
— all rights reserved —

# Lazy Semiring Neighbours and some Applications

Peter Höfner\* and Bernhard Möller

Institut für Informatik, Universität Augsburg  
D-86135 Augsburg, Germany  
{hoefner,moeller}@informatik.uni-augsburg.de

**Abstract.** We extend an earlier algebraic approach to Neighbourhood Logic (NL) from domain semirings to lazy semirings yielding lazy semiring neighbours. Furthermore we show three important applications for these. The first one extends NL to intervals with infinite length. The second one applies lazy semiring neighbours in an algebraic semantics of the branching time temporal logic  $CTL^*$ . The third one sets up a connection between hybrid systems and lazy semiring neighbours.

## 1 Introduction

Chop-based interval temporal logics like ITL [5] and IL [3] are useful for specification and verification of safety properties of real-time systems. However, as it is shown in [15], these logics cannot express all desired properties, like (unbounded) liveness properties. Hence Zhou and Hansen proposed *Neighbourhood Logic* (NL) [14], a first-order interval logic with extra atomic formulas. In [7] NL has been embedded and extended into the algebraic framework of semirings. But neither NL nor the algebraic version handle intervals with infinite length. Therefore we transfer the neighbour concept to lazy semirings [10]. This provides a combination of NL and interval logic with infinite intervals on a uniform algebraic basis. Surprisingly, lazy semiring neighbours are not only useful for the extension of NL; they occur in different situations and structures.

The paper is structured into two main parts. The first one presents the algebraic theory. Therefore we recapitulate the basic notions, like lazy semirings, in Section 2. In Section 3 we define domain and codomain and give some important properties. In the next section we introduce and discuss lazy semiring neighbours and boundaries. That section contains the main contribution from a theoretical point of view. The second part presents three different applications for the theory. It starts by extending Neighbourhood Logic to intervals with infinite length in Section 5. Afterwards, in Section 6, we show that in the algebraic characterisation of the branching time temporal logic  $CTL^*$  of [11], the existential and universal path quantifiers E and A correspond to lazy semiring neighbours. The last application is presented in Section 7 and shows how to transfer lazy semiring neighbours to the algebraic model of hybrid systems presented in [8]; some of them guarantee liveness, others non-reachability, i.e., a form of safety.

---

\* This research was supported by DFG (German Research Foundation).

## 2 Algebraic Foundations

A *lazy semiring* (*L-semiring* or *left semiring*) is a quintuple  $(S, +, \cdot, 0, 1)$  where  $(S, +, 0)$  is a commutative monoid and  $(S, \cdot, 1)$  is a monoid such that  $\cdot$  is left-distributive over  $+$  and *left-strict*, i.e.,  $0 \cdot a = 0$ . A lazy semiring structure is also at the core of process algebra frameworks. The lazy semiring is *idempotent* if  $+$  is idempotent and  $\cdot$  is right-isotone, i.e.,  $b \leq c \Rightarrow a \cdot b \leq a \cdot c$ , where the *natural order*  $\leq$  on  $S$  is given by  $a \leq b \Leftrightarrow_{df} a + b = b$ . Left-isotony of  $\cdot$  follows from its left-distributivity. Moreover,  $0$  is the  $\leq$ -least element and  $a + b$  is the join of  $a$  and  $b$ . Hence every idempotent L-semiring is a join semilattice. A *semiring* (for clarity sometimes also called *full semiring*) is a lazy semiring in which  $\cdot$  is also right-distributive and right-strict. An L-semiring is *Boolean* if it is idempotent and its underlying semilattice is a Boolean algebra. Every Boolean L-semiring has a greatest element  $\top$ .

A *lazy quantale* is an idempotent L-semiring that is also a complete lattice under the natural order with  $\cdot$  being universally disjunctive in its left argument. A *quantale* is a lazy quantale in which  $\cdot$  is universally disjunctive also in its right argument. Following [1], one might also call a quantale a *standard Kleene algebra*. A lazy quantale is *Boolean* if it is right-distributive and a Boolean L-semiring.

An important lazy semiring (that is even a Boolean quantale) is REL, the algebra of binary relations over a set under relational composition.

To model assertions in semirings we use the idea of tests as introduced into Kleene algebras by Kozen [9]. In REL a set of elements can be modelled as a subset of the identity relation; meet and join of such partial identities coincide with their composition and union. Generalising this, one defines a *test* in a (left) quantale to be an element  $p \leq 1$  that has a complement  $q$  relative to  $1$ , i.e.,  $p + q = 1$  and  $p \cdot q = 0 = q \cdot p$ . The set of all tests of a quantale  $S$  is denoted by  $\text{test}(S)$ . It is not hard to show that  $\text{test}(S)$  is closed under  $+$  and  $\cdot$  and has  $0$  and  $1$  as its least and greatest elements. Moreover, the complement  $\neg p$  of a test  $p$  is uniquely determined by the definition. Hence  $\text{test}(S)$  forms a Boolean algebra. If  $S$  itself is Boolean then  $\text{test}(S)$  coincides with the set of all elements below  $1$ . We will consistently write  $a, b, c \dots$  for arbitrary semiring elements and  $p, q, r, \dots$  for tests.

With the above definition of tests we deviate slightly from [9], in that we do not allow an arbitrary Boolean algebra of sub identities as  $\text{test}(S)$  but only the maximal complemented one. The reason is that the axiomatisation of domain to be presented below forces this maximality anyway (see [2]).

In the remainder we give another important example of an L-semiring (especially with regard to temporal logics like CTL\* and hybrid systems). It is based on trajectories (cf. e.g. [12]) that reflect the values of the variables over time and was introduced in [8].

Let  $V$  be a set of *values* and  $D$  a set of *durations* (e.g.  $\mathbb{N}, \mathbb{Q}, \mathbb{R}, \dots$ ). We assume a cancellative addition  $+$  on  $D$  and an element  $0 \in D$  such that  $(D, +, 0)$  is a commutative monoid and the relation  $x \leq y \Leftrightarrow_{df} \exists z. x + z = y$  is a linear order on  $D$ . Then  $0$  is the least element and  $+$  is isotone w.r.t.  $\leq$ . Moreover,  $0$  is indivisible, i.e.,  $x + y = 0 \Leftrightarrow x = y = 0$ .  $D$  may include the special value  $\infty$ .

It is required to be an annihilator w.r.t.  $+$  and hence the greatest element of  $D$  (and cancellativity of  $+$  is restricted to elements in  $D - \{\infty\}$ ). For  $d \in D$  we define the interval  $\text{intv } d$  of admissible times as

$$\text{intv } d =_{df} \begin{cases} [0, d] & \text{if } d \neq \infty \\ [0, d[ & \text{otherwise .} \end{cases}$$

A *trajectory*  $t$  is a pair  $(d, g)$ , where  $d \in D$  and  $g : \text{intv } d \rightarrow V$ . Then  $d$  is the *duration* of the trajectory. This view models *oblivious* systems in which the evolution of a trajectory is independent of the history before the starting time.

The set of all trajectories is denoted by TRA. Composition of trajectories  $(d_1, g_1)$  and  $(d_2, g_2)$  is defined by

$$(d_1, g_1) \cdot (d_2, g_2) =_{df} \begin{cases} (d_1 + d_2, g) & \text{if } d_1 \neq \infty \wedge g_1(d_1) = g_2(0) \\ (d_1, g_1) & \text{if } d_1 = \infty \\ \text{undefined} & \text{otherwise} \end{cases}$$

with  $g(x) = g_1(x)$  for all  $x \in [0, d_1]$  and  $g(x + d_1) = g_2(x)$  for all  $x \in \text{intv } d_2$ .

For a value  $v \in V$ , let  $\underline{v} =_{df} (0, g)$  with  $g(0) = v$  be the corresponding zero-length trajectory. Moreover, set  $I =_{df} \{\underline{v} \mid v \in V\}$ .

A *process* is a set of trajectories. The *infinite and finite parts* of a process  $A$  are the processes  $\text{inf } A =_{df} \{(d, g) \in A \mid d = \infty\}$  and  $\text{fin } A =_{df} A - \text{inf } A$ . Composition is lifted to processes as follows:

$$A \cdot B =_{df} \text{inf } A \cup \{a \cdot b \mid a \in \text{fin } A, b \in B\} .$$

Then we obtain the lazy Boolean quantale

$$\text{PRO} =_{df} (\mathcal{P}(\text{TRA}), \cup, \cdot, \emptyset, I) ,$$

which can be extended to a test quantale by setting  $\text{test}(\text{PRO}) =_{df} \mathcal{P}(I)$ .

For a discrete infinite set  $D$ , e.g.  $D = \mathbb{N}$ , trajectories are isomorphic to nonempty finite or infinite words over the value set  $V$ . If  $V$  consists of states of computations, then the elements of PRO can be viewed as sets of computation streams; therefore we also write  $\text{STR}(V)$  instead of PRO in this case.

Note that  $A \in \text{PRO}$  consists of infinite trajectories only, i.e.,  $A = \text{inf } A$ , iff  $A \cdot B = A$  for all  $B \in \text{PRO}$ . We call such a process *infinite*, too. Contrarily,  $A$  consists of finite trajectories only, i.e.,  $A = \text{fin } A$ , iff  $A \cdot \emptyset = \emptyset$ . We call such a process *finite*, too.

We now generalise these notions from PRO to an arbitrary L-semiring  $S$ . An element  $a \in S$  is called *infinite* if it is a left zero, i.e.,  $a \cdot b = a$  for all  $b \in S$ , which is equivalent to  $a \cdot 0 = a$ . By this property,  $a \cdot 0$  may be considered as the *infinite part* of  $a$ , i.e., the part consisting just of infinite computations (if any). We assume that there exists a largest infinite element  $\mathbf{N}$ , i.e.,

$$a \leq \mathbf{N} \Leftrightarrow_{df} a \cdot 0 = a .$$

Dually, we call an element  $a$  *finite* if its infinite part is trivial, i.e., if  $a \cdot 0 = 0$ . We also assume that there is a largest finite element  $\mathbf{F}$ , i.e.,

$$a \leq \mathbf{F} \Leftrightarrow_{df} a \cdot 0 = 0 .$$

In Boolean quantales  $\mathbf{N}$  and  $\mathbf{F}$  always exist<sup>1</sup> and satisfy  $\mathbf{N} = \top \cdot 0$  and  $\mathbf{F} = \overline{\mathbf{N}}$ , where  $\overline{\phantom{x}}$  denotes complementation. Moreover, every element can be split into its finite and infinite parts:  $a = \text{fin } a + \text{inf } a$ , where  $\text{fin } a =_{df} a \sqcap \mathbf{F}$  and  $\text{inf } a =_{df} a \sqcap \mathbf{N}$ . In particular,  $\top = \mathbf{N} + \mathbf{F}$ .

### 3 Domain and Codomain in L-Semirings

Domain and codomain abstractly characterise, in the form of tests, the sets of initial and final states of a set of computations. In contrast to the domain and codomain operators of full semirings and Kleene algebras [2] the operators for L-semirings are not symmetric. Therefore we recapitulate their definitions [10] and establish some properties which we need afterwards.

**Definition 3.1** A *lazy semiring with domain* ( $\ulcorner$ -L-semiring) is a structure  $(S, \ulcorner)$ , where  $S$  is an idempotent lazy test semiring and the *domain operation*  $\ulcorner: S \rightarrow \text{test}(S)$  satisfies for all  $a, b \in S$  and  $p \in \text{test}(S)$

$$a \leq \ulcorner a \cdot a \quad (\text{d1}), \quad \ulcorner(p \cdot a) \leq p \quad (\text{d2}), \quad \ulcorner(a \cdot \ulcorner b) \leq \ulcorner(a \cdot b) \quad (\text{d3}).$$

The axioms are the same as in [2]. Since the domain describes all possible starting states of an element, it is easy to see that “laziness” of the underlying semiring doesn’t matter. Most properties of [2, 10] can still be proved in L-semirings with domain. We only give some properties which we need in the following sections. First, the conjunction of (d1) and (d2) is equivalent to each of

$$\ulcorner a \leq p \Leftrightarrow a \leq p \cdot a \quad (\text{llp}), \quad \ulcorner a \leq p \Leftrightarrow \neg p \cdot a \leq 0 \quad (\text{gla}).$$

(llp) says that  $\ulcorner a$  is the least left preserver of  $a$ ; (gla) that  $\neg \ulcorner a$  is the greatest left annihilator of  $a$ . By Boolean algebra, (gla) is equivalent to

$$p \cdot \ulcorner a \leq 0 \Leftrightarrow p \cdot a \leq 0. \quad (1)$$

**Lemma 3.2** [10] *Let  $S$  be a  $\ulcorner$ -L-semiring.*

- (a)  $\ulcorner$  is isotone.
- (b)  $\ulcorner$  is universally disjunctive;  
in particular  $\ulcorner 0 = 0$  and  $\ulcorner(a + b) = \ulcorner a + \ulcorner b$ .
- (c)  $\ulcorner a \leq 0 \Leftrightarrow a \leq 0$ . (Full Strictness)
- (d)  $\ulcorner p = p$ . (Stability)
- (e)  $\ulcorner(p \cdot a) = p \cdot \ulcorner a$ . (Import/Export)
- (f)  $\ulcorner(a \cdot b) \leq \ulcorner a$ .

We now turn to the dual case of the domain operation. In the case where we have (as in full semirings) right-distributivity and right-strictness, a codomain operation  $\urcorner$  is easily defined as a domain operation in the opposite L-semiring (i.e., the one that swaps the order of composition). But due to the absence of right-distributivity and right-strictness we need an additional axiom.

<sup>1</sup> In general  $\mathbf{N}$  and  $\mathbf{F}$  need not exist. In [10] lazy semirings where these elements exist are called *separated*.

**Definition 3.3** A *lazy semiring with codomain* ( $\bar{\cdot}$ -L-semiring) is a structure  $(S, \bar{\cdot})$ , where  $S$  is an idempotent lazy test semiring and the *codomain operation*  $\bar{\cdot} : S \rightarrow \text{test}(S)$  satisfies for all  $a, b \in S$  and  $p \in \text{test}(S)$

$$\begin{aligned} a &\leq a \cdot \bar{a} & (\text{cd1}), & & (a \cdot p) \bar{\cdot} &\leq p & (\text{cd2}), \\ (\bar{a} \cdot \bar{b}) \bar{\cdot} &\leq (a \cdot b) \bar{\cdot} & (\text{cd3}), & & (a + b) \bar{\cdot} &\geq \bar{a} + \bar{b} & (\text{cd4}). \end{aligned}$$

(cd4) guarantees isotony of the codomain operator. As for domain, the conjunction of (cd1) and (cd2) is equivalent to

$$\bar{a} \leq p \Leftrightarrow a \leq a \cdot p, \quad (\text{lrp})$$

i.e.,  $\bar{a}$  is the least right preserver of  $a$ . However, due to lack of right-strictness  $\bar{\cdot}$  need not be the greatest right annihilator; we only have the weaker equivalence

$$\bar{a} \leq p \Leftrightarrow a \cdot \neg p \leq a \cdot 0. \quad (\text{wgra})$$

**Lemma 3.4** *Let  $S$  be a  $\bar{\cdot}$ -L-semiring.*

- (a)  $\bar{\cdot}$  is isotone.
- (b)  $\bar{\cdot}$  is universally disjunctive;  
in particular  $\bar{0} = 0$  and  $(a + b) \bar{\cdot} = \bar{a} + \bar{b}$ .
- (c)  $\bar{a} \leq 0 \Leftrightarrow a \leq \mathbf{N}$ .
- (d)  $\bar{p} = p$ . (Stability)
- (e)  $(a \cdot p) \bar{\cdot} = \bar{a} \cdot p$ . (Import/Export)
- (f)  $(a \cdot b) \bar{\cdot} \leq \bar{b}$ .

Lemma 3.2(c) and Lemma 3.4(c) show the asymmetry of domain and codomain.

As in [10], a *modal lazy semiring* (ML-semiring) is an L-semiring with domain and codomain. The following lemma has some important consequences for the next sections, and illustrates again the asymmetry of L-semirings.

**Lemma 3.5** *In an ML-semiring with a greatest element  $\top$ , we have*

- (a)  $\neg p \cdot a \leq 0 \Leftrightarrow \lceil a \leq p \Leftrightarrow a \leq p \cdot a \Leftrightarrow a \leq p \cdot \top$ .
- (b)  $a \cdot \neg p \leq a \cdot 0 \Leftrightarrow \bar{a} \leq p \Leftrightarrow a \leq a \cdot p \Leftrightarrow a \leq \top \cdot p$ .
- (c)  $a \leq \mathbf{F} \Leftrightarrow (a \leq a \cdot p \Leftrightarrow a \cdot \neg p \leq 0) \Leftrightarrow (a \leq \top \cdot p \Leftrightarrow a \cdot \neg p \leq 0)$ .  
*Therefore, in general,  $a \leq a \cdot p \not\Leftrightarrow a \cdot \neg p \leq 0$  and  $a \leq \top \cdot p \not\Leftrightarrow a \cdot \neg p \leq 0$ .*

*Proof.*

- (a) The first equivalence is (gla), the second (llp).  $a \leq p \cdot a \Rightarrow a \leq p \cdot \top$  holds by isotony of  $\cdot$  and  $a \leq p \cdot \top \Rightarrow \lceil a \leq p$  by isotony of domain and  $\lceil (p \cdot \top) \stackrel{3.2(e)}{=} p \cdot \lceil \top = p$ , since  $\lceil \top \geq \lceil 1 = 1$  by Lemma 3.2(d).
- (b) Symmetrically to (a).
- (c)  $a \leq \mathbf{F} \Rightarrow (a \leq a \cdot p \Leftrightarrow a \cdot \neg p \leq 0)$  holds by (b) and  $a \cdot 0 \leq 0 \Leftrightarrow a \leq \mathbf{F}$ .  
The converse implication is shown by setting  $p = 1$ , Boolean algebra and definition of  $\mathbf{F}$ :  $a \leq a \Rightarrow a \cdot \neg 1 \leq 0 \Leftrightarrow a \cdot 0 \leq 0 \Leftrightarrow a \leq \mathbf{F}$ .  
The second equivalence follows from  $a \leq a \cdot p \Leftrightarrow a \leq \top \cdot p$  (see (b)). □

(c) says that we do not have a law for codomain that is symmetric to (a).

Further properties of (co)domain and ML-semirings can be found in [2, 10].

## 4 Neighbours — Definitions and Basic Properties

In [7] semiring neighbours and semiring boundaries are motivated by Neighbourhood Logic [14, 15]. The definitions there require full semirings as the underlying algebraic structure. In this section we use the same axiomatisation as in [7] to define neighbours and boundaries in L-semirings. Since the domain and codomain operators are not symmetric we also discuss some properties and consequences of the lack of right-distributivity and right-strictness. Note that in [7] the semiring neighbours and boundaries work on predomain and precodomain, i.e., assumed only (d1)–(d2) and (cd1)–(cd2), resp. Here we assume (d3)/(cd3) as well.

In the remainder some proofs are done only for one of a series of similar cases.

**Definition 4.1** Let  $S$  be an ML-semiring and  $a, b \in S$ . Then

- (a)  $a$  is a *left neighbour* of  $b$  (or  $a \leq \diamond_l b$  for short) iff  $a^\top \leq \overline{b}$ ,
- (b)  $a$  is a *right neighbour* of  $b$  (or  $a \leq \diamond_r b$  for short) iff  $\overline{a} \leq b^\top$ ,
- (c)  $a$  is a *left boundary* of  $b$  (or  $a \leq \diamond_l b$  for short) iff  $\overline{a} \leq \overline{b}$ ,
- (d)  $a$  is a *right boundary* of  $b$  (or  $a \leq \diamond_r b$  for short) iff  $a^\top \leq b^\top$ .

We will see below that the notation using  $\leq$  is justified. By *lazy semiring neighbours* we mean both, left/right neighbours and boundaries. Most of the properties given in [7] use Lemma 3.5(a) in their proofs and a symmetric version of it for codomain which holds in full semirings. Unfortunately, by Lemma 3.5(b) and 3.5(c), we do not have this symmetry. Hence we have to check all properties in the setting of L-semirings again. Definition 4.1 works for all ML-semirings. However, most of the interesting properties postulate a greatest element  $\top$ . Therefore we assume the existence of such an element in the remainder.

**Lemma 4.2** *Neighbours and boundaries can be expressed explicitly as*

$$\diamond_l b = \top \cdot \overline{b}, \quad \diamond_r b = \overline{b} \cdot \top, \quad \diamond_l b = \overline{b} \cdot \top, \quad \diamond_r b = \top \cdot \overline{b}.$$

*Proof.* We use the principle of indirect (in)equality.

By definition and Lemma 3.5(b) we get

$$a \leq \diamond_l b \Leftrightarrow a^\top \leq \overline{b} \Leftrightarrow a \leq \top \cdot \overline{b}. \quad \square$$

For nested neighbours we have the following cancellation properties.

**Lemma 4.3**

- (a)  $\diamond_l \diamond_r b = \diamond_r b$  and  $\diamond_r \diamond_l b = \diamond_l b$ ,
- (b)  $\diamond_l \diamond_r b = \diamond_r b$  and  $\diamond_r \diamond_l b = \diamond_l b$ ,
- (c)  $\diamond_l \diamond_l b = \diamond_l b$  and  $\diamond_r \diamond_r b = \diamond_r b$ ,
- (d)  $\diamond_l \diamond_l b = \diamond_l b$  and  $\diamond_r \diamond_r b = \diamond_r b$ .

*Proof.* The proof of [7] can immediately be adopted, since it only uses the explicit representations of neighbours and boundaries, which are identical for L-semirings and full semirings. E.g., by definition (twice),  $\overline{p} \cdot \top = p$  and definition again,

$$\diamond_l \diamond_r b = \diamond_l(\overline{b} \cdot \top) = \top \cdot \overline{(\overline{b} \cdot \top)} = \top \cdot \overline{b} = \diamond_r b. \quad \square$$

Now we draw some conclusions when  $S$  is Boolean.



**Lemma 4.4** For a Boolean ML-semiring  $S$ , we have

- (a)  $\neg \lceil a \leq \lceil \bar{a}$  and  $\neg \bar{a} \leq \bar{\lceil a}$ .
- (b)  $\overline{p \cdot \top} = \neg p \cdot \top$
- (c) If  $S$  is right-distributive,  $\overline{\top \cdot p} = \mathbf{F} \cdot \neg p$

*Proof.*

- (a) By Boolean algebra and additivity of domain,  $1 = \lceil \top = \lceil (a + \bar{a}) = \lceil a + \lceil \bar{a}$ , and the first claim follows by shunting. The second inequality can be shown symmetrically.
- (b) By Boolean algebra we only have to show that  $\neg p \cdot \top + p \cdot \top = \top$  and  $\neg p \cdot \top \sqcap p \cdot \top = 0$ . The first equation follows by left-distributivity, the second one by Boolean algebra and the law [10]

$$p \cdot a \sqcap q \cdot a = p \cdot q \cdot a . \quad (2)$$

- (c) By left and right distributivity, Boolean algebra and  $\mathbf{N}$  being a left zero,

$$\begin{aligned} \mathbf{F} \cdot \neg p + \top \cdot p &= \mathbf{F} \cdot \neg p + (\mathbf{F} + \mathbf{N}) \cdot p = \mathbf{F} \cdot \neg p + \mathbf{F} \cdot p + \mathbf{N} \cdot p \\ &= \mathbf{F} \cdot (\neg p + p) + \mathbf{N} = \mathbf{F} + \mathbf{N} = \top . \end{aligned}$$

Next, again by distributivity,

$$\begin{aligned} \mathbf{F} \cdot \neg p \sqcap \top \cdot p &= \mathbf{F} \cdot \neg p \sqcap (\mathbf{F} + \mathbf{N}) \cdot p = \mathbf{F} \cdot \neg p \sqcap (\mathbf{F} \cdot p + \mathbf{N} \cdot p) \\ &= (\mathbf{F} \cdot \neg p \sqcap \mathbf{F} \cdot p) + (\mathbf{F} \cdot \neg p \sqcap \mathbf{N} \cdot p) . \end{aligned}$$

The first summand is 0, since the law symmetric to (2) holds for finite  $a$  and hence for  $\mathbf{F}$ . The second summand is, by  $p, \neg p \leq 1$  and isotony, below  $\mathbf{F} \sqcap \mathbf{N} = 0$  and thus 0, too.  $\square$

Similarly to [7], we now define perfect neighbours and boundaries.

**Definition 4.5** Let  $S$  be a Boolean ML-semiring and  $a, b \in S$ .

- (a)  $a$  is a *perfect left neighbour* of  $b$  (or  $a \leq \sqcap_l b$  for short) iff  $a^\lceil \cdot \bar{b} \leq 0$ ,
- (b)  $a$  is a *perfect right neighbour* of  $b$  (or  $a \leq \sqcap_r b$  for short) iff  $\bar{b}^\lceil \cdot a \leq 0$ ,
- (c)  $a$  is a *perfect left boundary* of  $b$  (or  $a \leq \sqcup_l b$  for short) iff  $\lceil a \cdot \bar{b} \leq 0$ ,
- (d)  $a$  is a *perfect right boundary* of  $b$  (or  $a \leq \sqcup_r b$  for short) iff  $a^\lceil \cdot \bar{b} \leq 0$ .

From this definition, we get the following exchange rule for perfect neighbours.

$$a \leq \sqcap_l b \Leftrightarrow \bar{b} \leq \sqcap_r \bar{a} . \quad (3)$$

**Lemma 4.6** Perfect neighbours and perfect boundaries have the following explicit forms:

$$\sqcap_l b = \top \cdot \neg \bar{b} , \quad \sqcap_r b = \neg \bar{b}^\lceil \cdot \top , \quad \sqcup_l b = \neg \bar{b} \cdot \top , \quad \sqcup_r b = \top \cdot \neg \bar{b}^\lceil .$$

*Proof.* By definition, shunting and Lemma 3.5(b)

$$a \leq \sqcap_l b \Leftrightarrow a^\lceil \cdot \bar{b} \leq 0 \Leftrightarrow a^\lceil \leq \neg \bar{b} \Leftrightarrow a \leq \top \cdot \neg \bar{b} . \quad \square$$

**Lemma 4.7** *Each perfect neighbour (boundary) is a neighbour (boundary):*

$$\sqsupseteq_l b \leq \diamondsuit_l b, \quad \sqsupseteq_r b \leq \diamondsuit_r b, \quad \sqsubseteq_l b \leq \diamondsuit_l b, \quad \sqsubseteq_r b \leq \diamondsuit_r b.$$

*Proof.* The claim follows by definition, shunting, Lemma 4.4(a), Boolean algebra and definition again:

$$a \leq \sqsupseteq_l b \Leftrightarrow a^{\lceil} \cdot \overline{b} \leq 0 \Leftrightarrow a^{\lceil} \leq \neg \overline{b} \Rightarrow a^{\lceil} \leq \overline{b} \Leftrightarrow a \leq \diamondsuit_l b. \quad \square$$

Similarly to Lemma 4.3, we have cancellative laws for all box-operators. By  $\square\square a = \diamondsuit\diamondsuit \overline{a}$  for all kinds of perfect lazy semiring neighbours, we have

**Corollary 4.8**

- (a)  $\sqsupseteq_l \sqsupseteq_r b = \sqsubseteq_r b$  and  $\sqsupseteq_r \sqsupseteq_l b = \sqsubseteq_l b$ ,
- (b)  $\sqsubseteq_l \sqsupseteq_r b = \sqsupseteq_r b$  and  $\sqsubseteq_r \sqsupseteq_l b = \sqsupseteq_l b$ ,
- (c)  $\sqsubseteq_l \sqsubseteq_l b = \sqsubseteq_l b$  and  $\sqsubseteq_r \sqsubseteq_r b = \sqsubseteq_r b$ ,
- (d)  $\sqsupseteq_l \sqsubseteq_l b = \sqsupseteq_l b$  and  $\sqsupseteq_r \sqsubseteq_r b = \sqsupseteq_r b$ .

There are also cancellation rules for mixed diamond/box expressions, e.g.,

$$\diamondsuit_l \sqsubseteq_l b = \sqsubseteq_l b \quad \text{and} \quad \sqsubseteq_l \diamondsuit_l b = \diamondsuit_l b. \quad (4)$$

By straightforward calculations we get the de Morgan duals of right neighbours and left boundaries, respectively.

$$\begin{aligned} \overline{\diamondsuit_r b} &= \sqsupseteq_r b & \text{and} & & \overline{\sqsupseteq_r b} &= \diamondsuit_r b, \\ \overline{\diamondsuit_l b} &= \sqsubseteq_l b & \text{and} & & \overline{\sqsubseteq_l b} &= \diamondsuit_l b. \end{aligned} \quad (5)$$

Furthermore, we have the following Galois connections.

**Lemma 4.9** *We have  $\diamondsuit_r a \leq b \Leftrightarrow a \leq \sqsupseteq_l b$  and  $\diamondsuit_l a \leq b \Leftrightarrow a \leq \sqsubseteq_r b$ .*

*Proof.* By de Morgan duality, Boolean algebra and the exchange rule (3)

$$\diamondsuit_r a \leq b \Leftrightarrow \overline{\sqsupseteq_r \overline{a}} \leq b \Leftrightarrow \overline{b} \leq \sqsupseteq_r \overline{a} \Leftrightarrow a \leq \sqsupseteq_l b. \quad \square$$

Since Galois connections are useful as theorem generators and dualities as theorem transformers we get many properties of (perfect) neighbours and (perfect) boundaries for free. For example we have

**Corollary 4.10**

- (a)  $\diamondsuit_r, \diamondsuit_l$  and  $\sqsupseteq_l, \sqsubseteq_r$  are isotone.
- (b)  $\diamondsuit_r, \diamondsuit_l$  are disjunctive and  $\sqsupseteq_l, \sqsubseteq_r$  are conjunctive.
- (c) We also have cancellative laws:  
 $\diamondsuit_r \sqsupseteq_l a \leq a \leq \sqsupseteq_l \diamondsuit_r a$  and  $\diamondsuit_l \sqsubseteq_r a \leq a \leq \sqsubseteq_r \diamondsuit_l a$ .

But, because of Lemma 4.4(c), we do not have the full semiring de Morgan dualities of left neighbours and right boundaries, respectively. We only obtain

**Lemma 4.11** *Let  $S$  be right-distributive.*

- (a)  $\overline{\diamondsuit_l b} \leq \sqsupseteq_l b$  and  $\overline{\sqsupseteq_l b} \leq \diamondsuit_l b$ ,

$$(b) \quad \overline{\diamond_r b} \leq \boxplus_r b \quad \text{and} \quad \overline{\boxplus_r b} \leq \diamond_r y .$$

*Proof.* (a) By Lemma 4.2, 4.4(c), isotony and Lemma 4.6,

$$\overline{\diamond_l b} = \top \cdot \overline{b} = \mathbf{F} \cdot \neg \overline{b} \leq \top \cdot \neg \overline{b} = \boxplus_l b .$$

The equation  $\overline{\boxplus_l b} \leq \diamond_l b$  then follows by shunting.  $\square$

The converse inequations do not hold. For example, setting  $b = \top$  implies  $\overline{\diamond_l \top} = \top \cdot \overline{\top} = \top \cdot \overline{0} = \mathbf{N} = \mathbf{F}$  and  $\boxplus_l \top = \top \cdot \neg \overline{0} = \top$ . But in general,  $\top \leq \mathbf{F}$  is false (if there is at least one infinite element  $a \neq 0$ ). Also, the Galois connections of [7] are not valid for left neighbours and right boundaries, but one implication can still be proved.

**Lemma 4.12** *Let  $S$  be right-distributive, then*

$$\diamond_l a \leq b \Rightarrow a \leq \boxplus_r b , \quad \diamond_r a \leq b \Rightarrow a \leq \boxplus_l b .$$

*Proof.* By Lemma 4.11(a), Boolean algebra and the exchange rule (3)

$$\diamond_l a \leq b \Rightarrow \overline{\boxplus_l \overline{a}} \leq b \Leftrightarrow \overline{b} \leq \boxplus_l \overline{a} \Leftrightarrow a \leq \boxplus_r b . \quad \square$$

By lack of Galois connections, we do not have a full analogue to Corollary 4.10.

**Lemma 4.13**

- (a)  $\diamond_l, \diamond_r, \boxplus_r$  and  $\boxplus_l$  are isotone.
- (b) If  $S$  is right-distributive, then  $\diamond_l, \diamond_r$  are disjunctive and  $\boxplus_r, \boxplus_l$  are conjunctive.

*Proof.*

- (a) The claim follows directly by the explicit representation of (perfect) neighbours and boundaries (Lemma 4.2 and Lemma 4.6).
- (b) By Lemma 4.2, additivity of domain and right-distributivity we get  $\diamond_l(a + b) = \top \cdot \overline{(a + b)} = \top \cdot (\overline{a} + \overline{b}) = \top \cdot \overline{a} + \top \cdot \overline{b} = \diamond_l a + \diamond_l b$ .  $\square$

Until now, we have shown that most of the properties of [7] hold in L-semirings, too. At some points, we need additional assumptions like right-distributivity. Many more properties, like  $\overline{b} \leq \diamond_r b$ , can be shown. Most proofs use the explicit forms for lazy semiring neighbours or the Galois connections (Lemma 4.9) and Lemma 4.12. However, since L-semirings reflect some aspects of infinity, we get some useful properties, which are different from all properties given in [7]. Some are summarised in the following lemma.

**Lemma 4.14**

- (a)  $\diamond_l \mathbf{F} = \diamond_r \mathbf{F} = \boxplus_l \mathbf{F} = \boxplus_r \mathbf{F} = \top$ .
- (b)  $b \leq \mathbf{N} \Leftrightarrow \diamond_r b \leq 0 \Leftrightarrow \diamond_r b \leq \mathbf{N}$ .
- (c)  $\boxplus_l \mathbf{N} = \boxplus_r \mathbf{N} = \mathbf{N}$  and  $\boxplus_l \mathbf{N} = \boxplus_r \mathbf{N} = 0$ .
- (d)  $\overline{b} \leq \mathbf{N} \Leftrightarrow \mathbf{F} \leq b \Leftrightarrow \boxplus_r b = \top \Leftrightarrow \boxplus_l b = \top$ .

*Proof.* First we note that by straightforward calculations using Lemma 3.2 and 3.4, we get

$$\top \cdot p \leq \top \cdot q \Leftrightarrow p \leq q \Leftrightarrow p \cdot \top \leq q \cdot \top . \quad (6)$$

(a) Directly by Lemma 4.2 and  $\lceil \mathbf{F} = \bar{\mathbf{F}} = 1$ , since  $1 \leq \mathbf{F}$ :

$$\diamond_l \mathbf{F} = \top \cdot \lceil \mathbf{F} = \top \cdot 1 = \top .$$

(b) By Lemma 3.4, (6), left-strictness and definition of  $\diamond_l$

$$b \leq \mathbf{N} \Leftrightarrow \bar{b} \leq 0 \Leftrightarrow \bar{b} \cdot \top \leq 0 \cdot \top \Leftrightarrow \diamond_r b \leq 0 .$$

(c) By Lemma 4.6 and  $\lceil \mathbf{F} = 1$  we get

$$\boxminus_l \mathbf{N} = \top \cdot \lceil \bar{\mathbf{N}} = \top \cdot \lceil \bar{\mathbf{F}} = \top \cdot 0 = \mathbf{N} .$$

(d) Similar to (b).  $\square$

Note that (a) implies  $\diamond_l \top = \diamond_r \top = \diamond_l \top = \diamond_r \top = \top$  using isotony. (c) shows again that the inequations of Lemma 4.11 cannot be strengthened to equations.

Since the above theory concerning lazy semiring neighbours is based on lazy semirings, it is obvious that one can use it also in the framework of lazy Kleene algebra and lazy omega algebra [10]. The former one provides, next to the L-semiring operators, an operator for finite iteration. The latter one has an additional operator for infinite iteration.

## 5 Neighbourhood Logic with Infinite Durations

Using the theory of the previous section, we can now formulate a generalisation of NL, which includes infinite elements (intervals with infinite duration). Those intervals are not included in the original Neighbourhood Logic of [14, 15], i.e., if we compose two intervals  $[a, b]$  and  $[b, c]$  (where intervals are defined, as usual, as  $[a, b] =_{df} \{x \mid a \leq x \leq b, a \leq b\}$ ), it is assumed that the points of  $[b, c]$  are reached after finite duration  $b - a$ . However, for many applications, e.g. for hybrid systems, as we will see in Section 7, a time point  $\infty$  of infinity is reasonable. But then the composition of the intervals  $[a, \infty[$  and  $[b, c]$  never reaches the second interval. This gives rise to an L-semiring.

**Neighbourhood Logic and its Embedding.** In this paragraph the Neighbourhood Logic [14, 15] and its embedding [7] are briefly recapitulated.

Chop-based interval temporal logics, such as ITL [5] and IL [3] are useful for the specification and verification of safety properties of real-time systems. In these logics, one can easily express a lot of properties such as “if  $\phi$  holds for an interval, then there is a subinterval where  $\psi$  holds”. As shown in [15], these logics cannot express all desired properties. E.g., (unbounded) liveness properties such as “eventually there is an interval where  $\phi$  holds” are not expressible in these logics. As it is shown in [15] the reason is that the modality  $chop \frown$  is a *contracting* modality, in the sense that the truth value of  $\phi \frown \psi$  on  $[a, b]$  only depends on subintervals of  $[a, b]$ :


$$\begin{aligned} & \phi \frown \psi \text{ holds on } [a, b] \text{ iff} \\ & \text{there exists } c \in [a, b] \text{ such that } \phi \text{ holds on } [a, c] \text{ and } \psi \text{ holds on } [c, b]. \end{aligned}$$

Hence Zhou and Hansen proposed a first-order interval logic called *Neighbourhood Logic* (NL) in 1996 [14]. In this logic they introduce *left* and *right neighbourhoods* as new primitive intervals to define other unary and binary modalities of intervals in a first-order logic. The two proposed simple expanding modalities  $\diamond_l\phi$  and  $\diamond_r\phi$  are defined as follows:

$$\diamond_l\phi \text{ holds on } [a, b] \text{ iff there exists } \delta \geq 0 \text{ such that } \phi \text{ holds on } [a - \delta, a], \quad (7)$$

$$\diamond_r\phi \text{ holds on } [a, b] \text{ iff there exists } \delta \geq 0 \text{ such that } \phi \text{ holds on } [b, b + \delta], \quad (8)$$

where  $\phi$  is a *formula*<sup>2</sup> of NL. These modalities can be illustrated by



With  $\diamond_r$  ( $\diamond_l$ ) one can reach the *left* (*right*) *neighbourhood* of the beginning (ending) point of an interval. In contrast to the chop operator, the neighbourhood modalities are *expanding* modalities, i.e.,  $\diamond_l$  and  $\diamond_r$  depend not only on subintervals of an interval  $[a, b]$ , but also on intervals “outside”. In [14] it is shown that the modalities of [6] and [13] as well as the chop operator can be expressed by the neighbourhood modalities.

In [7] we present an embedding and extension of NL into the framework of full semirings. There, (perfect) neighbours and boundaries are defined on full semirings in the same way as we have done this for L-semirings in Section 4. Consider the structure

$$\text{INT} =_{df} (\mathcal{P}(\text{Int}), \cup, ;, \emptyset, \mathbb{1}),$$

where  $\mathbb{1} =_{df} \{[a, a]\}$  denotes the set of all intervals consisting of one single point and Int is the set of all intervals  $[a, b]$  with  $a, b \in \text{Time}$  and Time is a totally ordered poset, e.g.  $\mathbb{R}$ . Further we assume that there is an operation  $-$  on Time, which gives us the duration of an interval  $[a, b]$  by  $b - a$ . By this operation  $\mathbb{1}$  consists of all 0-length intervals.

For the moment we exclude intervals with infinite duration. The symbol  $;$  denotes the pointwise lifted composition of intervals which is defined by

$$[a, b]; [c, d] =_{df} \begin{cases} [a, d] & \text{if } b = c \\ \text{undefined} & \text{otherwise} \end{cases}.$$

It can easily be checked that INT forms a full semiring. In [7] we have shown

$$\begin{aligned} \diamond_l\phi \text{ holds on } [a, b] &\Leftrightarrow \{[a, b]\} \leq \diamond_r \mathbb{I}_\phi, \\ \diamond_r\phi \text{ holds on } [a, b] &\Leftrightarrow \{[a, b]\} \leq \diamond_l \mathbb{I}_\phi, \end{aligned}$$

where  $\mathbb{I}_\phi =_{df} \{i \mid i \in \text{Int}, \phi \text{ holds on } i\}$ . This embedding gives us the possibility to use the structure of a semiring to describe NL. Many simplifications of NL and properties concerning the algebraic structure are given in [7].

<sup>2</sup> The exact definition of the syntax of formulas can be found e.g. in [14].

**Adding Infinite Durations.** Now, we assume a point of infinity  $\infty \in \text{Time}$ , e.g.  $\text{Time} = \mathbb{R} \cup \{\infty\}$ . If there is such an element, it has to be the greatest element. Consider the slightly changed structure

$$\text{INT}^i =_{df} (\mathcal{P}(\text{Int}), \cup, ;, \emptyset, \mathbb{1}) ,$$

where  $;$  is now the pointwise lifted composition defined as

$$[a, b] ; [c, d] =_{df} \begin{cases} [a, d] & \text{if } b = c, b \neq \infty \\ [a, \infty[ & \text{if } b = \infty \\ \text{undefined} & \text{otherwise .} \end{cases}$$

Again, it is easy to check that  $\text{INT}^i$  forms an L-semiring, which even becomes an ML-semiring by setting, for  $A \in \mathcal{P}(\text{Int})$ ,

$$\lceil A =_{df} \{[a, a] \mid [a, b] \in A\} \quad \text{and} \quad \bar{A} =_{df} \{[b, b] \mid [a, b] \in A, b \neq \infty\} .$$

Note that  $\text{INT}^i$  is right-distributive, so that all Lemmas and Corollaries of Section 4 hold in this model.

Thereby we have defined a new version  $\text{NL}^i$  of  $\text{NL}$  which handles intervals with infinite durations.  $\text{NL}^i$  also subsumes the theory presented in [16]. In particular, it builds a bridge between  $\text{NL}$  and a duration calculus for infinite intervals.

## 6 Lazy Semiring Neighbours and $\text{CTL}^*$

The branching time temporal logic  $\text{CTL}^*$  (see e.g. [4]) is a well-known tool for analysing and describing parallel as well as reactive and hybrid systems. In  $\text{CTL}^*$  one distinguishes state formulas and path formulas, the former ones denoting sets of states, the latter ones sets of computation traces.

The language  $\Psi$  of  $\text{CTL}^*$  formulas over a set  $\Phi$  of atomic propositions is defined by the grammar

$$\Psi ::= \perp \mid \Phi \mid \Psi \rightarrow \Psi \mid \text{X}\Psi \mid \Psi \text{U}\Psi \mid \text{E}\Psi ,$$

where  $\text{X}$  and  $\text{U}$  are the next-time and until operators and  $\text{E}$  is the existential quantifier on paths. As usual,

$$\begin{aligned} \neg\varphi &=_{df} \varphi \rightarrow \perp , & \varphi \wedge \psi &=_{df} \neg(\varphi \rightarrow \neg\psi) , \\ \varphi \vee \psi &=_{df} \neg\varphi \rightarrow \psi , & \text{A}\varphi &=_{df} \neg\text{E}\neg\varphi . \end{aligned}$$

In [11] a connection between  $\text{CTL}^*$  and Boolean modal quantales is presented. Since these are right-distributive, again all the lemmas of the previous sections are available. If  $A$  is a set of states one could, e.g., use the algebra  $\text{STR}(A)$  (cf. Section 2) of finite and infinite streams of  $A$ -states as a basis. For an arbitrary Boolean modal quantale  $S$ , the concrete standard semantics for  $\text{CTL}^*$  is generalised to a function  $\llbracket \_ \rrbracket : \Psi \rightarrow S$  as follows, where  $\llbracket \varphi \rrbracket$  abstractly represents the

set of paths satisfying formula  $\varphi$ . One fixes an element  $\mathbf{n}$  ( $\mathbf{n}$  standing for “next”) as representing the transition system underlying the logic and sets

$$\begin{aligned} \llbracket \perp \rrbracket &= 0, \\ \llbracket p \rrbracket &= p \cdot \top, \\ \llbracket \varphi \rightarrow \psi \rrbracket &= \overline{\llbracket \varphi \rrbracket} + \llbracket \psi \rrbracket, \\ \llbracket X\varphi \rrbracket &= \mathbf{n} \cdot \llbracket \varphi \rrbracket, \\ \llbracket \varphi \cup \psi \rrbracket &= \bigsqcup_{j \geq 0} (\mathbf{n}^j \cdot \llbracket \psi \rrbracket) \sqcap \bigsqcap_{k < j} \mathbf{n}^k \cdot \llbracket \varphi \rrbracket, \\ \llbracket E\varphi \rrbracket &= \overline{\llbracket \varphi \rrbracket} \cdot \top. \end{aligned}$$

Using these definitions, it is straightforward to check that  $\llbracket \varphi \vee \psi \rrbracket = \llbracket \varphi \rrbracket + \llbracket \psi \rrbracket$ ,  $\llbracket \varphi \wedge \psi \rrbracket = \llbracket \varphi \rrbracket \sqcap \llbracket \psi \rrbracket$  and  $\llbracket \neg\varphi \rrbracket = \overline{\llbracket \varphi \rrbracket}$ .

By simple calculations we get the following result.

**Lemma 6.1** [11] *Let  $\varphi$  be a state formula of  $\text{CTL}^*$ . Then*

$$\llbracket A\varphi \rrbracket = \neg \overline{\llbracket \varphi \rrbracket} \cdot \top.$$

Hence we see that  $\llbracket E\varphi \rrbracket$  corresponds to a left boundary and  $\llbracket A\varphi \rrbracket$  to a perfect left boundary, i.e.,

$$\llbracket E\varphi \rrbracket = \diamond_l \llbracket \varphi \rrbracket \quad \text{and} \quad \llbracket A\varphi \rrbracket = \boxplus_l \llbracket \varphi \rrbracket.$$

With these equations we have connected lazy neighbours with  $\text{CTL}^*$ . From Lemma 4.3, Corollary 4.8 and equations (4) we obtain immediately

$$\begin{aligned} \llbracket EE\varphi \rrbracket &= \llbracket E\varphi \rrbracket, & \llbracket AA\varphi \rrbracket &= \llbracket A\varphi \rrbracket, \\ \llbracket EA\varphi \rrbracket &= \llbracket A\varphi \rrbracket, & \llbracket AE\varphi \rrbracket &= \llbracket E\varphi \rrbracket. \end{aligned}$$

The other two boundaries as well as all variants of (perfect) neighbours do not occur in  $\text{CTL}^*$  itself.

A connection to hybrid systems will be set up in the next section.

## 7 Lazy Semiring Neighbours and Hybrid Systems

Hybrid systems are dynamical heterogeneous systems characterised by the interaction of discrete and continuous dynamics. In [8] we use the L-semiring PRO of processes from Section 2 for the description of hybrid systems.

**Hybrid systems and NL.** In PRO the left/right neighbours describe a kind of composability, i.e., for processes  $A, B$ ,

$$A \leq \diamond_l B \quad \text{iff} \quad \forall a \in A : \exists b \in B : a \cdot b \text{ is defined}, \quad (9)$$

$$A \leq \diamond_r B \quad \text{iff} \quad \forall a \in A : \exists b \in \text{fin}(B) : b \cdot a \text{ is defined}. \quad (10)$$

These equivalences are closely related to (7) and (8), respectively.  $\diamond_r$  and  $\diamond_l$  each guarantee existence of a composable element. Especially,  $\diamond_r \neq 0$  guarantees that there exists a process, and therefore a trajectory, that can continue

the current process (trajectory). Therefore it is a form of liveness assertion. In particular, the process  $\diamond_r B$  contains all trajectories that are composable with the “running” one. If  $\diamond_r B = \emptyset$ , we know that the system will terminate if all trajectories of the running process have finite durations. Note that in the above characterisation of  $\diamond_l$  the composition  $a \cdot b$  is defined if either  $f(d_1) = g(0)$  (assuming  $a = (d_1, f)$  and  $b = (d_2, g)$ ) or  $a$  has infinite duration, i.e.,  $d = \infty$ . The next paragraph will show that left and right boundaries of lazy semirings are closely connected to temporal logics for hybrid systems. But, by Lemma 4.3, they are also useful as operators that simplify nestings of semiring neighbours.

The situation for right/left perfect neighbours is more complicated. As shown in [7],  $\boxplus_r B$  is the set of those trajectories which can be reached only from  $B$ , not from  $\overline{B}$ . Hence it describes a situation of guaranteed non-reachability from  $\overline{B}$ . The situation with  $\boxplus_l$  is similar for finite processes, because of the symmetry between left and right perfect neighbours.

**Hybrid systems and CTL\*.** Above we have shown how lazy semiring neighbours are characterised in PRO. Although a next-time operator is not meaningful in continuous time models, the other operators of CTL\* still make sense. Since PRO is a Boolean modal quantale, we simply re-use the above semantic equations (except those for X and U) and obtain a semantics of a fragment of CTL\* for hybrid systems. In particular, the existential quantifier E is a left boundary also in hybrid systems. The operators F, G and U can be realised as

$$\llbracket F\varphi \rrbracket =_{df} F \cdot \llbracket \varphi \rrbracket^3, \quad G\varphi =_{df} \neg F\neg\varphi, \quad \llbracket \varphi U \psi \rrbracket =_{df} (\text{fin } \llbracket G\varphi \rrbracket) \cdot \llbracket \psi \rrbracket.$$

Of course all other kinds of left and right (perfect) neighbours and boundaries have their own interpretation in PRO and in (the extended) CTL\*, respectively. A detailed discussion of all these interpretations is part of our future work (cf. Section 8).

## 8 Conclusion and Outlook

In the paper we have presented a second extension of Neighbourhood Logic. Now this logic is able to handle intervals which either have finite or infinite length. For this we have established semiring neighbours over lazy semirings. During the development of lazy semiring neighbours it turned out that they are not only useful and necessary for NL but also in other areas of computer science; we have sketched connections to temporal logics and to hybrid systems.

We have only given a short overview over the connections between lazy semiring neighbours, CTL\* and hybrid systems. One of our aims for further work is a more elaborate treatment of this. Further, it will be interesting to see if there are even more applications for semiring neighbours.

**Acknowledgement.** We are grateful to Kim Solin and the anonymous referees for helpful discussions and remarks.

<sup>3</sup> On the right hand side F is the largest finite element.



## References

1. J. H. Conway: *Regular Algebra and Finite State Machines*. Chapman & Hall, 1971
2. J. Desharnais, B. Möller, G. Struth: Kleene Algebra with Domain. *ACM Trans. Computational Logic* (to appear 2006). Preliminary version: Universität Augsburg, Institut für Informatik, Report No. 2003-07, June 2003
3. B. Dutertre: Complete Proof Systems for First-Order Interval Temporal Logic. In IEEE Press, editor, *Tenth Annual IEEE Symb. on Logic in Computer Science*, 1995, 36–43
4. E.A. Emerson: Temporal and Modal Logic. In J. van Leeuwen (ed.): *Handbook of Theoretical Computer Science. Vol. B: Formal Models and Semantics*. Elsevier 1991, 995–1072
5. J.Y. Halpern, B. Moszkowski, Z. Manna: A Hardware Semantics Based on Temporal Intervals. In J. Diaz (ed.) *Proc. ICALP'83*. LNCS 154. Springer 1983, 278–291
6. J.Y. Halpern, Y. Shoham: A Propositional Modal Logic of Time Intervals. *Proceedings of the First IEEE Symposium on Logic in Computer Science*. IEEE Press, Piscataway, NJ, 279–292.
7. P. Höfner: Semiring Neighbours — An Algebraic Embedding and Extension of Neighbourhood Logic. In J. van de Pol, J. Romijn, G. Smith (eds.): *IFM 2005 Doctoral Symposium on Integrated Formal Methods*, 6–13, 2005. Extended version: P. Höfner: *Semiring Neighbours*. Technical Report 2005-19, Universität Augsburg, 2005
8. P. Höfner, B. Möller: Towards an Algebra of Hybrid Systems. In W. MacCaull, M. Winter and I. Düntsch (eds.): *Relational Methods in Computer Science*. LNCS 3929. Springer 2006, 121–133
9. D. Kozen: Kleene Algebra with Tests. *ACM Trans. Programming Languages and Systems* 19(3), 427–443 (1997)
10. B. Möller: Kleene Getting Lazy. *Science of Computer Programming*, Special issue on MPC 2004 (to appear). Previous version: B. Möller: *Lazy Kleene algebra*. In D. Kozen (ed.): *Mathematics of program construction*. LNCS 3125. Springer 2004, 252–273
11. B. Möller, P. Höfner, G. Struth: Quantales and Temporal Logics. In M. Johnson, V. Vene (eds.): *AMAST 2006*. LNCS 4019. Springer 2006, 263–277
12. M. Sintzoff: Iterative Synthesis of Control Guards Ensuring Invariance and Inevitability in Discrete-Decision Games. In O. Owe, S. Krogdahl, T. Lyche (eds.): *From Object-Oriented to Formal Methods — Essays in Memory of Ole-Johan Dahl*. LNCS 2635. Springer 2004, 272–301
13. Y. Venema: A Modal Logic for Chopping Intervals. *J. of Logic and Computation* 1(4):453–476, 1990
14. C. Zhou, M.R. Hansen: An Adequate First Order Interval Logic. In W.-P. de Roever, H. Langmaack, A. Pnueli (eds.): *Compositionality: The Significant Difference: International Symposium, COMPOS'97*. LNCS 1536. Springer 1998, 584–608
15. C. Zhou, M.R. Hansen: *Duration Calculus – A Formal Approach to Real-Time Systems*. Monographs in Theoretical Computer Science. Springer 2004
16. C. Zhou, D. Van Hung, L. Xiaoshan: Duration Calculus with Infinite Intervals. In H. Reichel (ed.): *Fundamentals of Computation Theory*. LNCS 965. Springer 1995, 16–41